Monkeytoe





STAIRS

Monkeytoe 65deg Aluminium Stair

PRODUCT DESCRIPTION

Fabricated 65 degree aluminium stair providing access to any elevated area.



TYPICAL USES / APPLICATIONS

- · Access up to roof hatches
- Safe access into ceiling spaces and machinery platforms and equipment maintenance

CHARACTERISTICS / ADVANTAGES

- Fully engineered compliant system
- Unique tread profile design makes stair comfortable to climb and safe to use
- Low maintenance and neat appearance
- · Lightweight, high strength aluminium construction
- Can be powder coated to desired colour
- · Handrail system for easy and safe use
- Pre-manufactured for fast install

TECHNICAL DATA / MATERIALS

- Runners: 100mm channel T6 aluminium extrusions
- Stair treads: 6061 T6 aluminium extrusion
- Stanchions: 6061 T6 aluminium RHS extrusion
- Handrails: 6061 T6 aluminium extrusion
- Fixings: (bolts, teks) 304 grade stainless steel

TESTS

APPROVALS / STANDARDS

- Accordance with relevant sections of AS/NZ 1657
- Building B1 structure code

WARRANTY

• 25 years materials and 2 years install

MAINTENANCE

- It is recommended that steps, stairs or stiles are included in the standard 'building warrant of fitness' inspections
- · All damage or loose fixings to be reported immediately to asset manager or building owner for correction

Monkeytoe





PRODUCT IMAGES














STAIRS | Monkeytoe 65deg. Aluminium Stair EVERYTHING BETTER 2/8



200 min. 250 max

6000 max.


150-200

65° MP. max

006

60° min





23/07/2018 **A**3

65° Step Ladder




ASNIZS 167:2018
ASNIZS 1687:2018
ASNIZS 1827:2018
ASNIZS 1822:1996
- RELEVANT STATUTORY OHS CODES OF PRACTICE

	E
	DESIGNED IN ACCORDANCE WITH
NOTES:	DESIGNED IN A

1000 min. 1100 max.

450 min. 750 max.




Monkeytoe

EVERYTHING BETTER 0800 658 637 - www.monkeytoe.co.nz

65° Step Ladder (Level) & Retr. Stile ASSY		
MKT Design Library		
DWG No: 2003-SL65-1		2003
	SHEET 1 OF 5	A3
	SCALE 1:15	REV:01
DO NOT SCALE	DIMENSIONS IN MILLI	METERS /


This drawing and associated design is the copyright and property of Monkeytoe Ltd. It shall not be used for any purpose or project,



Monkeytoe

EVERYTHING BETTER 0800 658 637 - www.monkeytoe.co.nz


65° Step Ladder (5° Roof Pitch) & Retr. Stile ASSY		
MKT Design Library		
DWG No: 2003-SL65-1 2003		2003
	SHEET 2 OF 5	А3
	SCALE 1:15	REV:01
DO NOT SCALE	DIMENSIONS IN MILLI	METERS



Monkeytoe

EVERYTHING BETTER 0800 658 637 - www.monkeytoe.co.nz


65° Step Ladder (10° Roof Pitch) & Retr. Stile ASSY		
MKT Design Library		
DWG No: 2003-SL65-1 2003		2003
	SHEET 3 OF 5	А3
	SCALE 1:15	REV:01
DO NOT SCALE	DIMENSIONS IN MILLI	METERS



Monkeytoe

EVERYTHING BETTER 0800 658 637 - www.monkeytoe.co.nz

65° Step Ladder (20° Roof Pitch) & Retr. Stile ASSY		
MKT Design Library		
DWG No: 2003-SL65-1		2003
	SHEET 4 OF 5	A3
	SCALE 1:15	REV:01
DO NOT SCALE	DIMENSIONS IN MILLI	METERS /



Monkeytoe

EVERYTHING BETTER 0800 658 637 - www.monkeytoe.co.nz

65° Step Ladder (30° Roof Pitch) & Retr. Stile ASSY		
MKT Design Library		
DWG No: 2003-SL65	-1	2003
	SHEET 5 OF 5	A3
	SCALE 1:15	REV:01
DO NOT SCALE	DIMENSIONS IN MILLI	METERS /