



MKT PROFILE GUIDE


Material	Text Colour
6060-T5	BLUE
6106-T6	RED
6005-T5 or 6061-T6	GREEN
6261-T5 &/or 6261-T6	YELLOW




PM01
 USAGE: Condenser Mount
 LENGTH: 5800mm




PM02
 USAGE: Support Rail
 LENGTH: 5800mm




PM03
 USAGE: Support Rail
 LENGTH: 5800mm




PM06
 USAGE: Support Rail
 LENGTH: 5800mm




PM07
 USAGE: Support Rail
 LENGTH: 3000mm, 5000mm




PM08
 USAGE: Stanchion Backstay
 LENGTH: 5800mm




PM09
 USAGE: Smartwalk Stringer
 LENGTH: 4800mm, 6000mm




PM10
 USAGE: Condenser Mount Upright, Louvre,
 Perforated Screen To Stanchion Connection
 LENGTH: 5800mm




PM11
 USAGE: PM09 Joiner,
 Welded Truss Member
 LENGTH: 5800mm




PM13
 USAGE: Handrail Stanchion
 LENGTH: 5800mm




PM14
 USAGE: Smartwalk Member
 LENGTH: 5800mm




PM16
 USAGE: Brace
 LENGTH: 5800mm



PM19
 USAGE: Roof Hatches
 LENGTH: 5000mm




PM20
 USAGE: Louvre
 LENGTH: 6000mm




PM21
 USAGE: Condenser Mount Support
 LENGTH: 6000mm

Monkeytoe


EVERYTHING BETTER
 0800 658 637 - www.monkeytoe.co.nz

MONKEYTOE PROFILE GUIDE		
MONKEYTOE		
DWG No: -	5/09/2022	
	SHEET 1 OF 5	A3
	SCALE: 1:2	REV:09
DO NOT SCALE	DIMENSIONS IN MILLIMETERS	


This drawing and associated design is the copyright and property of Monkeytoe Ltd. It shall not be used for any purpose or project, without prior written consent other than designated by Monkeytoe Ltd. ©




PM22
 USAGE: Stair Tread Extension
 LENGTH: 5800mm




PM25
 USAGE: Stair
 LENGTH: 5800mm




PM26
 USAGE: Stair, Safety Nosing
 LENGTH: 5800mm




PM27
 USAGE: Safety Nosing
 LENGTH: 5800mm




PM28
 USAGE: Stepladder Tread
 LENGTH: 5000mm




PM29
 USAGE: Heavy Duty Handrail Stanchion
 LENGTH: 5000mm




PM30
 USAGE: Condenser Rail
 LENGTH: 6000mm




PM31
 USAGE: HD Condenser Rail
 LENGTH: 6000mm




PM33
 USAGE: Channel Condenser Upright
 LENGTH: 6000mm




PM34
 USAGE: Screen Support/Heavy Duty Rail
 LENGTH: 5800mm




PM35
 USAGE: Truss Member,
 Tape Down Support Rail
 LENGTH: 6100mm



PM36
 USAGE: Tape Down Support Rail
 Truss Member, Mesh Support
 LENGTH: 6100mm




PM37
 USAGE: Truss Member,
 Joiner For MKT Extrusions
 LENGTH: 6000mm




PM38
 USAGE: Truss Member,
 Joiner For MKT Extrusions
 LENGTH: 6000mm




EVERYTHING BETTER
 0800 658 637 - www.monkeytoe.co.nz


MONKEYTOE PROFILE GUIDE		
MONKEYTOE		
DWG No: -		5/09/2022
	SHEET 2 OF 5	A3
	SCALE: 1:2	REV:09
DO NOT SCALE	DIMENSIONS IN MILLIMETERS	




PM39
 USAGE: Heavy Duty Rail
 LENGTH: 4000mm, 6000mm




PM40
 USAGE: X-Beam "T" Extrusion
 LENGTH: 6m, 8m, 10m, 11.8m




PM41
 USAGE: X-Beam Web Extrusion
 LENGTH: 6m, 8m, 10m, 11.8m




PM45
 USAGE: X-Beam Structures
 LENGTH: 4800mm




PM50.W6 & PM150
 USAGE: Support Column For X-Beams
 LENGTH: 4000mm




PM51
 USAGE: Hushmonkey Acoustic Panel
 LENGTH: 4810mm




PM52
 USAGE: Hushmonkey Louvre
 LENGTH: 4800mm



XB250
 USAGE: X-Beam Structures
 LENGTH: 6000mm, 7000mm, 8000mm,
 9000mm, 10 000mm , 10 800mm



XB400
 USAGE: X-Beam Structures
 LENGTH: 6000mm, 7000mm, 8000mm,
 9000mm, 10 000mm , 10 800mm



XB550
 USAGE: X-Beam Structures
 LENGTH: 6000mm, 7000mm, 8000mm,
 9000mm, 10 000mm , 10 800mm





Carbon Fibre
 USAGE: Inserted Into X-Beams
 LENGTH: 1000mm

Monkeytoe


EVERYTHING BETTER
 0800 658 637 - www.monkeytoe.co.nz

This drawing and associated design is the copyright and property of Monkeytoe Ltd. It shall not be used for any purpose or project, without prior written consent other than designated by Monkeytoe Ltd. ©


MONKEYTOE PROFILE GUIDE		
MONKEYTOE		
DWG No: -	5/09/2022	
 DO NOT SCALE	SHEET 3 OF 5	A3
	SCALE: 1:5	REV:09
DIMENSIONS IN MILLIMETERS		




CB001
 USAGE: Balustrade
 LENGTH: 6000mm




CB002
 USAGE: Balustrade
 LENGTH: 5000m




CB003 + CB006
 USAGE: Balustrade
 LENGTH: 5000mm




EW003
 USAGE: Mesh Joiner
 LENGTH: 5000mm




EW004
 USAGE: Mesh Edge
 LENGTH: 5000mm




HR008
 USAGE: Handrail
 LENGTH: 6000mm




HR009
 USAGE: Kneerail
 LENGTH: 6000mm



PC100.50.03
 USAGE: Step Ladder Stringer
 LENGTH: 5000mm



PC30.25.3
 USAGE: PM06/PM03 Joiner
 LENGTH: 5000mm




PT050.050.02
 USAGE: Acoustic Screens
 LENGTH: 5000mm

This drawing and associated design is the copyright and property of Monkeytoe Ltd. It shall not be used for any purpose or project, without prior written consent other than designated by Monkeytoe Ltd. ©




EVERYTHING BETTER
 0800 658 637 - www.monkeytoe.co.nz

MONKEYTOE PROFILE GUIDE		
MONKEYTOE		
DWG No: -	5/09/2022	
	SHEET 4 OF 5	A3
	SCALE: 1:2	REV:09
DO NOT SCALE	DIMENSIONS IN MILLIMETERS	


STOCKED PIPE			
CODE	DESCRIPTION	MAX LENGTH	
PP32.3	32 x 3mm Pipe	5000mm	
PP38.3	38 x 3mm Pipe	5000mm	
PP48.32	48 x 3.2mm Pipe	5000mm	
PP50.3	50 x 3mm Pipe	5000mm	




STOCKED EQUAL ANGLE			
CODE	DESCRIPTION	MAX LENGTH	
PA025.025.03	25 x 3mm Equal Angle	5000mm	
PA030.030.05	30 x 5mm Equal Angle	5000mm	
PA050.050.05	50 x 5mm Equal Angle	5000mm	
PA060.060.06	60 x 6mm Equal Angle	5000mm	
PA075.075.03	75 x 3mm Equal Angle	5000mm	
PA075.075.06	75 x 6mm Equal Angle	5000mm	
PA100.100.06	100 x 6mm Equal Angle	5000mm	
PA100.100.10	100 x 10mm Equal Angle	5000mm	




STOCKED UNEQUAL ANGLE			
CODE	DESCRIPTION	MAX LENGTH	
PA075.025.03	75 x 25 x 3mm Angle	5000mm	
PA075.050.06	75 x 50 x 6mm Angle	5000mm	
PA100.050.03	100 x 50 x 3mm Angle	5000mm	
PA100.050.06	100 x 50 x 6mm Angle	5000mm	
PA150.075.03	150 x 75 x 3mm Angle	5000mm	
PA150.075.06	150 x 75 x 6mm Angle	5000mm	




STOCKED FLAT BAR			
CODE	DESCRIPTION	MAX LENGTH	
PF025.03	25 x 3mm Flat Bar	5000mm	
PF025.10	25 x 10mm Flat Bar	5000mm	
PF038.06	38 x 6mm Flat Bar	5000mm	
PF050.06	50 x 6mm Flat Bar	5000mm	
PF050.08	50 x 8mm Flat Bar	5000mm	
PF050.10	50 x 10mm Flat Bar	5000mm	
PF075.03	75 x 3mm Flat Bar	5000mm	
PF075.06	75 x 6mm Flat Bar	5000mm	
PF075.10	75 x 10mm Flat Bar	5000mm	
PF100.06	100 x 6mm Flat Bar	5000mm	
PF100.10	100 x 10mm Flat Bar	5000mm	
PF150.06	150 x 6mm Flat Bar	5000mm	
PF150.10	150 x 10mm Flat Bar	5000mm	
PF200.10	200 x 10mm Flat Bar	5000mm	



STOCKED SQUARE HOLLOW SECTION			
CODE	DESCRIPTION	MAX LENGTH	
PR050.050.3	50 x 3mm SHS	5000mm	
PR050.050.5	50 x 5mm SHS	5000mm	
PR075.075.3	75 x 3mm SHS	5000mm	
PR075.075.6	75 x 6mm SHS	5000mm	
PR100.100.6	100 x 6mm SHS	5000mm	



STOCKED RECTANGULAR HOLLOW SECTION			
CODE	DESCRIPTION	MAX LENGTH	
PR100.050.3	100 x 50 x 3mm RHS	5000mm	
PR100.050.6	100 x 50 x 6mm RHS	5000mm	



Monkeytoe

EVERYTHING BETTER
0800 658 637 - www.monkeytoe.co.nz

MONKEYTOE PROFILE GUIDE		
MONKEYTOE		
DWG No: -		5/09/2022
	SHEET 5 OF 5	A3
	SCALE: 1:1	REV:09
DO NOT SCALE	DIMENSIONS IN MILLIMETERS	

This drawing and associated design is the copyright and property of Monkeytoe Ltd. It shall not be used for any purpose or project, without prior written consent other than designated by Monkeytoe Ltd. ©